

701

Supermoto
Enduro
Enduro LR
2020



Husqvarna[®]
MOTORCYCLES





a b o u t

Riding

THERE'S A UNIQUE HARMONY THAT DEVELOPS BETWEEN MAN AND MACHINE OUT ON THE RIDE. AN INTUITIVE EXPERIENCE WHERE THE TWO BECOME ONE. DIRT OR TAR, THIS POWERFUL SINGLE FEELS EFFORTLESS TO RIDE, LIGHT AND NIMBLE, REACTING INSTANTLY TO YOUR EVERY CUE - SIMPLY AN EXTENSION OF YOU.



692.7 cc
74 hp
147 kg



701 Supermoto

Feel the essence of the ride.

With a mighty 74 hp engine, the 701 Supermoto is the most powerful single-cylinder production supermoto on the market. A high performance street motorcycle that focuses on agility, manoeuvrability and maximum power-to-weight to deliver a truly dynamic street riding experience. Built with state-of-the-art components, innovative electronics and manufactured to the highest standards, this lively machine offers a thrilling mix of everything you need to hit your favourite stretch of road with ultimate confidence.



EASING ON THE POWERFUL BREMBOS, YOU LOCK-IN ON THE HAIRPIN AHEAD. WITH SUPERMOTO RIDE MODE ENGAGED YOU DRIFT THE REAR WHEEL IN, FORMING A PERFECT ARC TOWARDS THE APEX.

Versatility without compromise.

From urban streets to off-the-beaten-track, the versatile Husqvarna 701 Enduro is designed to open up new riding possibilities. With its potent single-cylinder engine, state-of-the-art chassis and renowned offroad ability, this machine really is the master of all terrain. Slender ergonomics and high end WP XPLOR suspension deliver outstanding levels of agility and handling. The torquey 692.7 cc engine features surface-specific ride modes, as well as a ride-by-wire throttle, allowing riders of all levels to confidently take on their favourite offroad trail or daily commute with ease.

LEAN ANGLE
TRACTION
CONTROL



2-RIDE
MODES

74 hp 146 kg 21"/18" wheels

6

701 Enduro



READY TO GO WHERE IMPULSE TAKES YOU,
THE HUSQVARNA 701 ENDURO IS BUILT
TO DELIVER UNCOMPROMISED PERFORMANCE
ON, AND OFFROAD.





701 Enduro LR

YOU'RE COMPLETELY IN THE ZONE, FLOWING SWIFTLY ALONG A WINDING DIRT TRAIL. THERE'S NO DESTINATION IN MIND, MERELY THE NOTION TO KEEP ON GOING - AS LONG AS POSSIBLE.



25 l fuel tank approx. 500 km range 21"/18" wheels



Keep the ride going.

Bred from the Husqvarna 701 Enduro, the 701 Enduro LR offers the same dynamic all-terrain riding experience with extra long-range touring capability. With the addition of a front auxiliary tank, the fuel capacity of this nimble offroad machine is almost doubled to 25 litres. Made from high strength polyamide, the perfectly integrated impact resistant front tank allows up to 500 km of riding bliss. Its 43.4 kg engine is not only lightweight, but also extremely efficient and reliable, allowing for long 10,000 km service intervals and low fuel consumption. A state-of-the-art cornering ABS system, Brembo brakes and various electronic rider aids make this versatile touring machine a complete package.

701

Single cylinder. Multiple skills.

The lightweight, 74 hp single-cylinder 692.7 cc engine features a ride-by-wire throttle for a perfectly linear power delivery. It offers refined performance for riders of all levels and advanced efficiency on the daily commute. The compactly designed single overhead camshaft cylinder head features two 42 mm intake valves and two 34 mm exhaust valves actuated by a robust rocker arm system, delivering precise valve timing at high engine speeds. With 73.5 Nm of torque available, opening up and effortlessly powering through the gears using easy shift leaves riders in no doubt of the thrilling performance packed into the lightweight unit below them.

692.7 cc

74 hp

8,000 rpm

43.4 kg

Ride-by-wire

10,000 km service

Advanced electronics



Perfectly suited for the ride

Supermoto



MOTO 9 MIPS GOTLAND HELMET 3HS21000410X



HORIZON GLOVES 3HS20002100X



HORIZON SUIT 3HS20002110X

CROSSFIRE 3 SRS BOOTS 3HS193010X

Enduro

GOTLAND JACKET WP 3HS20000590X



COMFORTABLE, VENTILATED AND WATERPROOF. THIS LIGHTWEIGHT, YET ROBUST OFFROAD COMBINATION PAYS SPECIAL ATTENTION TO DETAIL, ENSURING YOU ARE READY FOR WHATEVER CONDITIONS AWAIT YOU.

GOTLAND PANTS WP 3HS20000570X



Add a little extra to your ride

Accessories



AKRAPOVIČ "SLIP-ON LINE"
27005999000



SIDE BAG SET
27012925000



SIDE BAG CARRIER
27012912044



HEATED GRIP KIT
21012964044



SKID PLATE
27003990044



Engine	701 Supermoto	701 Enduro	701 Enduro LR
Engine type	Single cylinder, 4-stroke	Single cylinder, 4-stroke	Single cylinder, 4-stroke
Displacement	692.7 cc	692.7 cc	692.7 cc
Bore/stroke	105/80 mm	105/80 mm	105/80 mm
Power	55 kW (74 hp) @ 8,000 rpm	55 kW (74 hp) @ 8,000 rpm	55 kW (74 hp) @ 8,000 rpm
Torque	73.5 Nm @ 6,500 rpm	73.5 Nm @ 6,500 rpm	73.5 Nm @ 6,500 rpm
Compression ratio	12.7:1	12.7:1	12.7:1
Transmission	6 gears	6 gears	6 gears
Lubrication	Pressure lubrication with 2 oil pumps	Pressure lubrication with 2 oil pumps	Pressure lubrication with 2 oil pumps
Cooling	Liquid cooling	Liquid cooling	Liquid cooling
Clutch	APTC slipper clutch, hydraulically operated	APTC slipper clutch, hydraulically operated	APTC slipper clutch, hydraulically operated
Starter/battery	Electric starter/12V 8.6Ah	Electric starter/12V 8.6Ah	Electric starter/12V 8.6Ah
Fuel system	Keihin EFI (throttle body 50 mm)	Keihin EFI (throttle body 50 mm)	Keihin EFI (throttle body 50 mm)
Engine Management/Ignition	Keihin EMS with RBW, double ignition	Keihin EMS with RBW, double ignition	Keihin EMS with RBW, double ignition
Control	4 V/OHC with intake cam levers and exhaust rocker arm	4 V/OHC with intake cam levers and exhaust rocker arm	4 V/OHC with intake cam levers and exhaust rocker arm
Silencer	Stainless steel silencer with regulated catalytic converter	Stainless steel silencer with regulated catalytic converter	Stainless steel silencer with regulated catalytic converter
Primary drive	36:79	36:79	36:79
Final drive	16:42	15:46	15:46
Chassis			
Frame	Chromium-Molybdenum-Steel trellis frame, powder coated	Chromium-Molybdenum-Steel trellis frame, powder coated	Chromium-Molybdenum-Steel trellis frame, powder coated
Subframe	Self-supporting polyamide tank	Self-supporting polyamide tank	Self-supporting polyamide tank
Handlebar	Aluminium, tapered, Ø 28/22 mm	Aluminium, tapered, Ø 28/22 mm	Aluminium, tapered, Ø 28/22 mm
Front suspension	WP APEX-USD Ø 48 mm	WP XPLORE-USD Ø 48 mm	WP XPLORE-USD Ø 48 mm
Rear suspension	WP APEX-Monoshock with linkage	WP XPLORE-Monoshock with linkage	WP XPLORE-Monoshock with linkage
Suspension travel front/rear	215/240 mm	250/250 mm	250/250 mm
Front brakes	Brembo four-piston, radial caliper, brake disc Ø 320 mm	Brembo two-piston, floating caliper, brake disc Ø 300 mm	Brembo two-piston, floating caliper, brake disc Ø 300 mm
Rear brakes	Brembo single piston, floating caliper, brake disc Ø 240 mm	Brembo single piston, floating caliper, brake disc Ø 240 mm	Brembo single piston, floating caliper, brake disc Ø 240 mm
ABS	Bosch 9.1 MP (Cornering-ABS, disengageable)	Bosch 9.1 MP (Cornering-ABS, disengageable)	Bosch 9.1 MP (Cornering-ABS, disengageable)
Front/rear wheel	Spoked wheels with aluminium tubeless rims, 3.50 x 17"; 5.00 x 17"	Spoked wheels with aluminium rims, 1.85 x 21"; 2.50 x 18"	Spoked wheels with aluminium rims, 1.85 x 21"; 2.50 x 18"
Front/rear tyres	120/70 ZR17; 160/60 ZR17	90/90 R21; 140/80 R18	90/90 R21; 140/80 R18
Chain	X-Ring 5/8 x 1/4"	X-Ring 5/8 x 1/4"	X-Ring 5/8 x 1/4"
Steering head angle	63.6°	62.3°	62.3°
Triple clamp offset	35 mm (33 mm)	24 mm (22 mm)	24 mm (22 mm)
Wheel base	1,470 ± 15 mm	1,502 ± 15 mm	1,502 ± 15 mm
Ground clearance	238 mm	270 mm	270 mm
Seat height	890 mm	920 mm	925 mm
Tank capacity, approx.	13.0 litres/2.5 litres reserve	13.0 litres/2.5 litres reserve	25 litres/4.0 litres reserve
Weight, without fuel, approx.	147 kg	146 kg	155 kg
Standard equipment	All three models feature lean angle traction control, 2-ride modes, easy shift, cornering ABS.		

Own your own



Financing your own dream bike couldn't possibly be any easier. With Husqvarna Motorcycles' financial partner, riding off on a brand new motorcycle is simpler than you could've ever imagined. For each specific motorcycle, individually tailored financial solutions enable you to race off in no time. Speak to your nearest authorized Husqvarna Motorcycles dealer for more information.



Confidently take to the streets and experience more with Husqvarna Motorcycles' extended warranty. It's really easy; extend your standard manufacturer's warranty before it expires. You can renew it every year for up to 12 years or 80,000 km. Once covered, claims can easily be made via your authorized Husqvarna Motorcycles dealer to ensure the best possible service. Warranties on the bike can also be transferred upon change of ownership. So new or used, you can ride your Husqvarna motorcycle with peace of mind.



Husqvarna Motorcycles' lifetime* Mobility Service keeps you safe at every turn with 12-month coverage free of charge. Lifetime Mobility Service is renewed at no additional cost for a maximum of 12 months with each service at your authorized Husqvarna Motorcycles dealer until the next service. Thanks to the Assistance Center, available 24 hours a day, 7 days a week, 365 days a year throughout Europe, any potential breakdowns are worry-free. See more details at <http://husqvarna-motorcycles.com/mobilityservice>.

Husqvarna Motorcycles Finance, Extended Warranty and Mobility Service might not be available for all markets. Please ask your local authorized Husqvarna Motorcycles dealer about the offers and conditions in your country.

*The definition of lifetime for single-cylinder vehicles: max. 60,000 km or 8 years, whichever comes first; for two-cylinder vehicles: max. 80,000 km or 8 years, whichever comes first.

Legal disclaimer

Limitation not advised!
The riders illustrated are professional motorcycle riders. The photos were taken on closed racing circuits or closed roads. Husqvarna Motorcycles wishes to make all motorcyclists aware that they need to wear the prescribed protective gear and always ride in a responsible manner in accordance with the relevant and applicable provisions of the road traffic regulations. Only the homologated versions of the motorbikes promoted in this brochure are suitable for road use. Husqvarna Motocross models are not approved for use on public roads. For this reason, it is absolutely essential that use on public roads is avoided. The warnings and hazard notices in the owner's manual must be observed without fail when purchasing a motorcycle and using it for the first time (especially the prescribed speed limits). Some products in the Husqvarna Motorcycles accessories range are not approved for use on public roads in certain circumstances (varies from country to country). Please contact your Husqvarna Motorcycles dealer for further information. The illustrated vehicles may vary in selected details from the production models and some illustrations feature optional equipment available at additional cost. All information concerning the scope of supply, appearance, services, dimensions and weights is non-binding and specified with the proviso that errors, for instance in printing, setting and/or typing, may occur; such information is subject to change without notice. Please note that model specifications may vary from country to country.



Husqvarna Motorcycles GmbH
Stallhofnerstraße 3
5230 Mattighofen, Austria
www.husqvarna-motorcycles.com

